

# Algorithms 2020: Data Structures

A Supplement (Based on [Manber 1989])

Yih-Kuen Tsay

October 13, 2020

## 1 Heaps

### Heaps

- A (max binary) heap is a **complete binary tree** whose keys satisfy the heap property:  
*the key of every node is greater than or equal to the key of any of its children.*
- It supports the two basic operations of a **priority queue**:
  - *Insert*( $x$ ): insert the key  $x$  into the heap.
  - *Remove*(): remove and return the largest key from the heap.

### Heaps (cont.)

- A complete binary tree can be represented implicitly by an array  $A$  as follows:
  1. The root is stored in  $A[1]$ .
  2. The **left child** of  $A[i]$  is stored in  $A[2i]$  and the **right child** is stored in  $A[2i + 1]$ .

### Heaps (cont.)

**Algorithm Remove\_Max\_from\_Heap** ( $A, n$ );

**begin**

**if**  $n = 0$  **then** print “the heap is empty”

**else**  $Top\_of\_the\_Heap := A[1]$ ;

$A[1] := A[n]$ ;  $n := n - 1$ ;

$parent := 1$ ;  $child := 2$ ;

**while**  $child \leq n - 1$  **do**

**if**  $A[child] < A[child + 1]$  **then**

$child := child + 1$ ;

**if**  $A[child] > A[parent]$  **then**

$swap(A[parent], A[child])$ ;

$parent := child$ ;

$child := 2 * child$

**else**  $child := n$

**end**

## Heaps (cont.)

```
Algorithm Insert_to_Heap ( $A, n, x$ );  
begin  
   $n := n + 1$ ;  
   $A[n] := x$ ;  
   $child := n$ ;  
   $parent := n \text{ div } 2$ ;  
  while  $parent \geq 1$  do  
    if  $A[parent] < A[child]$  then  
       $swap(A[parent], A[child])$ ;  
       $child := parent$ ;  
       $parent := parent \text{ div } 2$   
    else  $parent := 0$   
end
```

## 2 AVL Trees

### AVL Trees

**Definition 1.** An AVL tree is a binary search tree such that, for every node, the difference between the heights of its left and right subtrees is at most 1 (the height of an empty tree is defined as 0).

This definition guarantees a maximal height of  $O(\log n)$  for any AVL tree of  $n$  nodes.

/\* Let  $G(h)$  denote the least possible number of nodes contained in an AVL tree of height  $h$ ; the empty tree has height  $-1$  and a single-node tree has height 0. A recurrence relation for  $G(h)$  can be defined as follows:

$$\begin{cases} G(-1) &= 0 \\ G(0) &= 1 \\ G(h) &= G(h-1) + G(h-2) + 1, \quad h \geq 1 \end{cases}$$

A precise solution to  $G(h)$  may be derived by establishing the relation  $G(h) = F(h+3) - 1$ , where  $F(i)$  is the  $i$ -th Fibonacci number (as defined in Chapter 3.5 of Manber's book) for which we already know the closed form; the proof is quite simple by induction. So, for any AVL tree with  $n$  nodes and of height  $h$ ,  $n \geq G(h) \geq F(h+3) - 1 \geq ca^h$  (for some positive constants  $c$  and  $a$  and sufficiently large  $n$ ). It follows that  $h = O(\log n)$ . \*/

### AVL Trees (cont.)




Figure: Insertions that invalidate the AVL property.  
 Source: redrawn from [Manber 1989, Figure 4.13].

**AVL Trees (cont.)**




Figure: A single rotation: (a) before; (b) after.  
 Source: redrawn from [Manber 1989, Figure 4.14].

**AVL Trees (cont.)**




Figure: A double rotation: (a) before; (b) after.  
 Source: redrawn from [Manber 1989, Figure 4.15].

### 3 Union-Find

#### Union-Find

- There are  $n$  elements  $x_1, x_2, \dots, x_n$  divided into groups. Initially, each element is in a group by itself.
- Two operations on the elements and groups:
  - $find(A)$ : returns the name of  $A$ 's group.
  - $union(A, B)$ : combines  $A$ 's and  $B$ 's groups to form a new group with a unique name.
- To tell if two elements are in the same group, one may issue a find operation for each element and see if the returned names are the same.

#### Union-Find (cont.)




Figure: The representation for the union-find problem.  
 Source: redrawn from [Manber 1989, Figure 4.16].

#### Balancing

- The root also stores the number of elements in (i.e., the size of) its group.
- To *balance* the tree resulted from a union operation, *let the smaller group join the larger group* and update the size of the larger group accordingly.

**Theorem 2** (Theorem 4.2). *If balancing is used, then any tree of height  $h$  must contain at least  $2^h$  elements.*

- Any sequence of  $m$  find or union operations (where  $m \geq n$ ) takes  $O(m \log n)$  steps.

#### Union-Find (cont.)




Figure: Path compression: (a) before; (b) after.

Source: redrawn from [Manber 1989, Figure 4.17].

### Effect of Path Compression

**Theorem 3** (Theorem 4.3). *If both balancing and path compression are used, any sequence of  $m$  find or union operations (where  $m \geq n$ ) takes  $O(m \log^* n)$  steps.*

The value of  $\log^* n$  intuitively equals the number of times that one has to apply  $\log$  to  $n$  to bring its value down to 1.

### Code for Union-Find

```

Algorithm Union_Find_Init(A,n);
begin
  for i := 1 to n do
    A[i].parent := nil;
    A[i].size := 1
  end
end

Algorithm Find(a);
begin
  if A[a].parent <> nil then
    A[a].parent := Find(A[a].parent);
    Find := A[a].parent;
  else
    Find := a
  end
end

```

### Code for Union-Find (cont.)

```

Algorithm Union(a,b);
begin
  x := Find(a);
  y := Find(b);
  if x <> y then
    if A[x].size > A[y].size then
      A[y].parent := x;
      A[x].size := A[x].size + A[y].size;
    else
      A[x].parent := y;
      A[y].size := A[x].size + A[y].size;
    end
  end
end

```

```
    else
      A[x].parent := y;
      A[y].size := A[y].size + A[x].size
    end
end
```