

Reducibility

(Based on [Sipser 2006, 2013])

Yih-Kuen Tsay

Department of Information Management
National Taiwan University

Introduction

- 🌐 A *reduction* is a way of converting one problem into another problem in such a way that a solution to the second problem can be used to solve the first problem.
- 🌐 If a problem A reduces (is reducible) to another problem B , we can use a solution to B to solve A .
- 🌐 *Reducibility* says nothing about solving A or B alone, but only about the solvability of A in the presence of a solution to B .
- 🌐 Reducibility is the primary method for proving that problems are computationally unsolvable.
- 🌐 Suppose that A is reducible to B . If B is decidable, then A is decidable; equivalently, if A is undecidable, then B is undecidable.

The Halting Problem

🌐 $HALT_{TM} = \{ \langle M, w \rangle \mid M \text{ is a TM and } M \text{ halts on } w \}$.

Theorem (5.1)

$HALT_{TM}$ is undecidable.

- 🌐 The idea is to reduce the acceptance problem A_{TM} (shown to be undecidable) to $HALT_{TM}$.
- 🌐 Assume toward a contradiction that a TM R decides $HALT_{TM}$.
- 🌐 We could then construct a decider S for A_{TM} as follows.

The Halting Problem (cont.)

$S =$ “On input $\langle M, w \rangle$, an encoding of a TM M and a string w :

1. Run TM R on input $\langle M, w \rangle$.
2. If R rejects, *reject*.
3. If R accepts, simulate M on w until it halts.
4. If M has accepted, *accept*; if M has rejected, *reject*.”

Undecidable Problems

🌐 $E_{\text{TM}} = \{\langle M \rangle \mid M \text{ is a TM and } L(M) = \emptyset\}$.

Theorem (5.2)

E_{TM} is undecidable.

🌐 Assuming that a TM R decides E_{TM} , we construct a decider S for A_{TM} as follows.

Undecidable Problems (cont.)

$S =$ “On input $\langle M, w \rangle$:

1. Construct the following TM M_1 .

$M_1 =$ “On input x :

1.1 If $x \neq w$, *reject*.

1.2 If $x = w$, run M on input w and *accept* if M accepts w .”

2. Run R on input $\langle M_1 \rangle$.

3. If R accepts, *reject*; if R rejects, *accept*.”

Undecidable Problems (cont.)

🌐 $REGULAR_{TM} = \{ \langle M \rangle \mid M \text{ is a TM and } L(M) \text{ is regular} \}$.

Theorem (5.3)

$REGULAR_{TM}$ is undecidable.

🌐 Assuming that a TM R decides $REGULAR_{TM}$, we construct a decider S for A_{TM} as follows.

Undecidable Problems (cont.)

$S =$ “On input $\langle M, w \rangle$:

1. Construct the following TM M_2 .

$M_2 =$ “On input x :

1.1 If x has the form $0^n 1^n$, *accept*.

1.2 If x does not have this form, run M on input w and *accept* if M accepts w .”

2. Run R on input $\langle M_2 \rangle$.

3. If R accepts, *accept*; if R rejects, *reject*.”

Note: if M does not accept w , then $L(M_2) = \{0^n 1^n \mid n \geq 0\}$, which is not regular; if M accepts w , then $L(M_2) = \{0, 1\}^*$, which is regular.

Undecidable Problems (cont.)

$$EQ_{TM} = \{ \langle M_1, M_2 \rangle \mid M_1 \text{ and } M_2 \text{ are TMs and } L(M_1) = L(M_2) \}.$$

Theorem (5.4)



EQ_{TM} is undecidable.

- Assume that a TM R decides EQ_{TM} .
- We construct a decider S for E_{TM} as follows.
- $S =$ “On input $\langle M \rangle$:
 1. Run R on input $\langle M, M_1 \rangle$, where M_1 is a TM that rejects all inputs.
 2. If R accepts, *accept*; if R rejects, *reject*.”

Rice's Theorem

Theorem

Any “nontrivial” property about the languages recognized by Turing machines is undecidable.

-  Note 1: the theorem considers only properties about languages, i.e., properties that do not distinguish equivalent Turing machine descriptions.
-  Note 2: a property is *nontrivial* if it is satisfied by some, but not all, Turing machine descriptions.



Computation Histories

Definition (5.5)

An *accepting computation history* for M on w is a sequence of configurations C_1, C_2, \dots, C_l , where

1. C_1 is the start configuration,
2. C_l is an accepting configuration, and
3. C_i yields C_{i+1} , $1 \leq i \leq l - 1$.

A *rejecting computation history* for M on w is defined similarly, except that C_l is a rejecting configuration.

-  Computation histories are finite sequences.
-  Deterministic machines have at most one computation history on any given input.

Linear Bounded Automata

Definition (5.6)

A *linear bounded automaton* (LBA) is a restricted type of Turing machine wherein the tape head is not permitted to move off the portion of the tape containing the input.

- 🌐 So, an LBA is a TM with a limited amount of memory. It can only solve problems requiring memory that can fit within the tape used for the input.

(Note: using a tape alphabet larger than the input alphabet allows the available memory to be increased up to a constant factor.)

Linear Bounded Automata (cont.)




FIGURE 5.7
Schematic of a linear bounded automaton

Source: [Sipser 2006]

Despite their memory constraint, LBAs are quite powerful.

Lemma (5.8)

Let M be an LBA with q states and g symbols in the tape alphabet. There are exactly qng^n distinct configurations of M for a tape of length n .

Decidable Problems about LBAs

🌐 $A_{\text{LBA}} = \{ \langle M, w \rangle \mid M \text{ is an LBA that accepts } w \}$.

Theorem (5.9)

A_{LBA} is decidable.

🌐 $L =$ “On input $\langle M, w \rangle$, an encoding of an LBA M and a string w :

1. Simulate M on input w for qng^n steps or until it halts.
2. If M has halted, *accept* if it has accepted and *reject* if it has rejected. If M has not halted, *reject*.”

Undecidable Problems about LBAs

$$E_{\text{LBA}} = \{\langle M \rangle \mid M \text{ is an LBA where } L(M) = \emptyset\}.$$

Theorem (5.10)

E_{LBA} is undecidable.

- Assuming that a TM R decides E_{LBA} , we construct a decider S for A_{TM} as follows.
- $S =$ “On input $\langle M, w \rangle$, an encoding of a TM M and a string w :
 1. Construct an LBA B from $\langle M, w \rangle$ that, on input x , decides whether x is an accepting computation history for M on w .
 2. Run R on input $\langle B \rangle$.
 3. If R rejects, *accept*; if R accepts, *reject*.”




Undecidable Problems about LBAs (cont.)



FIGURE 5.11
A possible input to B

Source: [Sipser 2006]

Three conditions of an accepting computation history:

-  C_1 is the start configuration.
-  C_l is an accepting configuration.
-  C_i yields C_{i+1} , for every $i, 1 \leq i < l$.




FIGURE 5.12
LBA B checking a TM computation history

Source: [Sipser 2006]

Undecidable Problems about CFGs

🌐 $ALL_{CFG} = \{ \langle G \rangle \mid G \text{ is a CFG and } L(G) = \Sigma^* \}$.

Theorem (5.13)

ALL_{CFG} is undecidable.

- 🌐 For a TM M and an input w , we construct a CFG G (by first constructing a PDA) to generate all strings that are *not* accepting computation histories for M on w .
- 🌐 That is, G generates all strings if and only if M does not accept w .
- 🌐 If ALL_{CFG} were decidable, then A_{TM} would be decidable.

Undecidable Problems about CFGs (cont.)

The PDA for recognizing computation histories that are not accepting works as follows.

- The input is regarded as a computation history of the form:

$$\#C_1\#C_2^R\#C_3\#C_4^R\#\cdots\#C_l\#$$

where C_i^R denotes the reverse of C_i .

- The PDA nondeterministically chooses to check if one of the following conditions holds for the input:
 - C_1 is not the start configuration.
 - C_l is not an accepting configuration.
 - C_i does not yield C_{i+1} , for some i , $1 \leq i < l$.
- It also accepts an input that is not in the proper form of a computation history.

Undecidable Problems about CFGs (cont.)




FIGURE 5.14

Every other configuration written in reverse order

Source: [Sipser 2006]


The Post Correspondence Problem

Consider a collection of dominos such as follows:

$$\left\{ \left[\begin{array}{c} b \\ ca \end{array} \right], \left[\begin{array}{c} a \\ ab \end{array} \right], \left[\begin{array}{c} ca \\ a \end{array} \right], \left[\begin{array}{c} abc \\ c \end{array} \right] \right\}$$

A *match* is a list of these dominos (repetitions permitted) where the string of symbols on the top is the same as that on the bottom. Below is a match:

$$\left[\begin{array}{c} a \\ ab \end{array} \right] \left[\begin{array}{c} b \\ ca \end{array} \right] \left[\begin{array}{c} ca \\ a \end{array} \right] \left[\begin{array}{c} a \\ ab \end{array} \right] \left[\begin{array}{c} abc \\ c \end{array} \right]$$



The Post Correspondence Problem (cont.)

- 🌐 The **Post correspondence problem** (PCP) is to determine whether a collection of dominos has a match.
- 🌐 More formally, an instance of the PCP is a collection of dominos:

$$P = \left\{ \left[\frac{t_1}{b_1} \right], \left[\frac{t_2}{b_2} \right], \dots, \left[\frac{t_k}{b_k} \right] \right\}$$

- 🌐 A **match** is a sequence i_1, i_2, \dots, i_l such that $t_{i_1} t_{i_2} \dots t_{i_l} = b_{i_1} b_{i_2} \dots b_{i_l}$.
- 🌐 $PCP = \{ \langle P \rangle \mid P \text{ is an instance of the Post correspondence problem with a match} \}$.

Undecidability of the PCP

Theorem (5.15)

PCP is undecidable

- 🌐 The proof is by reduction from A_{TM} via accepting computation histories.
- 🌐 From any TM M and input w we can construct an instance P where a match is an accepting computation history for M on w .
- 🌐 Assume that a TM R decides PCP .
- 🌐 A decider S for A_{TM} constructs an instance of the PCP that has a match if and only if M accepts w , as follows.

Undecidability of the PCP (cont.)


1. Add $\left[\frac{\#}{\#q_0w_1w_2\cdots w_n\#} \right]$ as $\left[\frac{t_1}{b_1} \right]$.
2. For every $a, b \in \Gamma$ and every $q, r \in Q$ where $q \neq q_{\text{reject}}$,
if $\delta(q, a) = (r, b, R)$, add $\left[\frac{qa}{br} \right]$.
3. For every $a, b, c \in \Gamma$ and every $q, r \in Q$ where $q \neq q_{\text{reject}}$,
if $\delta(q, a) = (r, b, L)$, add $\left[\frac{cqa}{rcb} \right]$.
4. For every $a \in \Gamma$, add $\left[\frac{a}{a} \right]$.
5. Add $\left[\frac{\#}{\#} \right]$ and $\left[\frac{\#}{\sqcup\#} \right]$.

Undecidability of the PCP (cont.)

A start configuration (by Part 1):




Suppose $\delta(q_0, 0) = (q_7, 2, R)$. With Parts 2-5, the match may be extended to:




Undecidability of the PCP (cont.)

6. For every $a \in \Gamma$, add $\left[\frac{aq_{\text{accept}}}{q_{\text{accept}}} \right]$ and $\left[\frac{q_{\text{accept}}a}{q_{\text{accept}}} \right]$.



7. Add $\left[\frac{q_{\text{accept}}\#\#}{\#} \right]$.



Undecidability of the PCP (cont.)

To ensure that a match starts with $\left[\frac{t_1}{b_1} \right]$,

S converts the collection $\left\{ \left[\frac{t_1}{b_1} \right], \left[\frac{t_2}{b_2} \right], \dots, \left[\frac{t_k}{b_k} \right] \right\}$ to

$$\left\{ \left[\frac{\star t_1}{\star b_1 \star} \right], \left[\frac{\star t_1}{b_1 \star} \right], \left[\frac{\star t_2}{b_2 \star} \right], \dots, \left[\frac{\star t_k}{b_k \star} \right], \left[\frac{\star \diamond}{\diamond} \right] \right\}$$

where

$$\star U = \star U_1 \star U_2 \star U_3 \star \dots \star U_n$$

$$U \star = U_1 \star U_2 \star U_3 \star \dots \star U_n \star .$$

$$\star U \star = \star U_1 \star U_2 \star U_3 \star \dots \star U_n \star$$

Computable Functions

- 🌐 A Turing machine computes a function by starting with the input to the function on the tape and halting with the output of the function on the tape.

Definition (5.17)


A function $f : \Sigma^* \rightarrow \Sigma^*$ is a **computable function** if some Turing machine M , on every input w , halts with just $f(w)$ on its tape.

- 🌐 For example, all usual arithmetic operations on integers are computable functions.
- 🌐 Computable functions may be transformations of machine descriptions.

Mapping (Many-One) Reducibility

Definition (5.20)

Language A is **mapping reducible** (many-one reducible) to language B , written $A \leq_m B$, if there is a computable function $f : \Sigma^* \rightarrow \Sigma^*$, where for every w , $w \in A \iff f(w) \in B$.



- 🌐 This provides a way to convert questions about membership testing in A to membership testing in B .

Mapping (Many-One) Reducibility (cont.)




FIGURE 5.21
Function f reducing A to B

Source: [Sipser 2006]

 The function f is called the *reduction* of A to B .

Reducibility and Decidability

Theorem (5.22)

If $A \leq_m B$ and B is decidable, then A is decidable.

- 🌐 Let M be a decider for B and f a reduction from A to B . A decider N for A works as follows.
- 🌐 $N =$ “On input w :
 1. Compute $f(w)$.
 2. Run M on input $f(w)$ and output whatever M outputs.”

Corollary (5.23)

If $A \leq_m B$ and A is undecidable, then B is undecidable.

Note: $(P \wedge Q) \rightarrow R \equiv P \rightarrow (Q \rightarrow R) \equiv P \rightarrow (\neg R \rightarrow \neg Q) \equiv (P \wedge \neg R) \rightarrow \neg Q$

Reducibility and Decidability (cont.)

Theorem

$HALT_{TM}$ is undecidable.

- 🌐 We show that $A_{TM} \leq_m HALT_{TM}$, i.e., a computable function f exists (as defined by F below) such that

$$\langle M, w \rangle \in A_{TM} \iff f(\langle M, w \rangle) \in HALT_{TM}.$$

- 🌐 $F =$ “On input $\langle M, w \rangle$:
1. Construct the following machine M' .
 $M' =$ “On input x :
 - 1.1 Run M on x .
 - 1.2 If M accepts, *accept*.
 - 1.3 If M rejects, enter a loop.
 2. Output $\langle M', w \rangle$.”

Reducibility and Recognizability

Theorem (5.28)

If $A \leq_m B$ and B is Turing-recognizable, then A is Turing-recognizable.

Corollary (5.29)

If $A \leq_m B$ and A is not Turing-recognizable, then B is not Turing-recognizable.

Corollary




If $A \leq_m B$ (i.e., $\bar{A} \leq_m \bar{B}$) and A is not co-Turing-recognizable, then B is not co-Turing-recognizable.

Note: “ A is not co-Turing-recognizable” is the same as “ \bar{A} is not Turing-recognizable”.

Reducibility and Recognizability (cont.)

Theorem (5.30 Part One)

EQ_{TM} is not Turing-recognizable.

-  We show that A_{TM} reduces to $\overline{EQ_{TM}}$, i.e., $\overline{A_{TM}}$ reduces to EQ_{TM} .
-  Since $\overline{A_{TM}}$ is not Turing-recognizable, EQ_{TM} is not Turing-recognizable.
-  $F =$ “On input $\langle M, w \rangle$:
 1. Construct the following two machines M_1 and M_2 .
 $M_1 =$ “On any input: *reject*.”
 $M_2 =$ “On any input: Run M on w . If it accepts, *accept*.”
 2. Output $\langle M_1, M_2 \rangle$.”

Reducibility and Recognizability (cont.)

Theorem (5.30 Part Two)

EQ_{TM} is not co-Turing-recognizable.

- 🌐 We show that A_{TM} reduces to EQ_{TM} .
- 🌐 Since A_{TM} is not co-Turing-recognizable, EQ_{TM} is not co-Turing-recognizable.
- 🌐 $G =$ “On input $\langle M, w \rangle$:
 1. Construct the following two machines M_1 and M_2 .
 $M_1 =$ “On any input: *accept*.”
 $M_2 =$ “On any input: Run M on w . If it accepts, *accept*.”
 2. Output $\langle M_1, M_2 \rangle$.”